NEW SCIENCE PROSPECTS WITH 100-DAY BALLOONING



FOR ASTRONOMICAL RESEARCH (SOAR)

Giovanni G. Fazio
Gary J. Melnick
Smithsonian Astrophysical Observatory
Cambridge, MA 02138

FOR ASTRONOMICAL RESEARCH (SOAR)



THE SOAR MISSION

- » SOAR is a 2-meter balloon-borne telescope for far-infrared and submillimeter astronomy.
- Will contain either a bolometer array camera or a heterodyne spectrometer at its focal plane.
- Capable initially of 10 30 day flights (day and night operation) at 29 39 km altitude in a near space environment.
- » Eventually will become a 3-meter balloon-borne FIR/SUBMM telescope with 100 day flights.

ADVANTAGES OF SOAR FOR FIR/SUBMM OBSERVATIONS

- » Low atmospheric absorption and background radiation.
- » High spectral resolution measurements without atmospheric interference.
- » Capable of long integration times on a given target.
- » Capable of mapping large areas.
- Only a few percent of the cost of a space mission with comparable goals.

INTIAL IMPLEMENTATION PLAN FOR SOAR



TELESCOPE AND INSTRUMENTATION

TELESCOPE

- » 2-meter diameter, f/1, primary mirror (single panel CFRP, 3 μm rms surface accuracy), and f/13 Cassegrain telescope.
- » Diffraction limited at 100 μm wavelength (12.6 arcsec), FOV = 6.25 arcmin.
- » Operating temperature: 230 K.

BOLOMETER ARRAY CAMERA (MPIfR/Bonn)

- » Simultaneous viewing in three broad bands (100, 200, and 300 μm; 30% BW).
- » Diffraction-limited pixels at each wavelength.
- » Total of 225 pixels.
- » Bolometer temperature: 300 mK.
- » Liquid He dewar with 30 day hold time.

INTIAL IMPLEMENTATION PLAN FOR SOAR



GONDOLA

Pointing Control

- » Three-axis gyro-stabilized telescope (azimuth, elevation, crosselevation); raster scanning capability.
- » 1 arcmin absolute pointing accuracy.
- » 3 arcsec rms pointing stability.
- » 1 arcsec pointing reconstruction

Gondola

- Size: 6.0 m x 4.9 m x 5.2 m in dimension.
- » Weight: 950 kg.
- » Power: 560 W (solar cells and battery).

Telemetry


» TDRSS: 4 kbit return continuous; on-board disk storage.

Balloon

- » 28 MCF Zero Pressure Balloon.
- 30 40 km altitude.

SOAR EXPERIMENT DESIGN CONCEPT






SOAR EXPERIMENT CONFIGURATION


SOAR SKY VISIBILITY FOR FAIRBANKS, ALASKA LAUNCH





SOAR SENSITIVITY BOLOMETER CAMERA (10 , 1 hr)





INITIAL SOAR SCIENTIFIC OBJECTIVES



Formation and evolution of galaxies in the early universe

- » Perform deep surveys to search for a population of protogalaxies whose redshifted dust emission peaks at FIR/SUBMM wavelengths.
- » Determine redshifts photometrically.
- » Determine the luminosity evolution as a function of redshift.


Evolution of protostars in Giant Molecular Clouds

- » Perform large area, deep surveys of many molecular clouds to search for large range of protostellar masses.
- Detect cold protostars by dust continuum radiation at FIR/SUBMM wavelengths.
- » Observe protostars at different stages of early evolution to study cloud fragmentation and core collapse.

COLOR-COLOR DIAGRAM FOR




ARP 220 vs. REDSHIFT




SPECTRAL ENERGY DISTRIBUTION ARP 220 AND ISO HDF GALAXY





IRAS 100 um SURVEY IMAGE OF CYGNUS X REGION





SUMMARY OF SOAR PROGRAM



- Long Duration and Ultra-long Duration Balloon Program offers a means of conducting FIR/SUBMM science investigations otherwise obtainable only with very expensive (\$ > 400 M) space missions.
- SOAR is technically ready now for construction as a LDB mission and eventually as a ULDB mission.
- SOAR offers the best means:
 - To study protogalaxies at FIR/SUBMM wavelengths until FIRST is launched late in the next decade.
 - To perform large-area, high spatial resolution mapping of our Galaxy at FIR/SUBMM wavelengths.
- Frequent flight opportunities will permit SOAR to always fly state of the art instrumentation.